

ISO 14001

マネジメントシステム登録証

登録証番号 : JQA-EM0882

登録事業者 :

J S R マイクロ九州株式会社

佐賀県佐賀市久保泉町大字上和泉1580番地1



091

当機構は、上記事業者の環境マネジメントシステムを審査した結果、付属書に記載する範囲において、下記規格の要求事項に適合していることを証します。

ISO 14001 :2015 / JIS Q 14001 :2015

登録日 : 2000年 6月 2日

登録更新日 : 2024年 6月 2日


有効期限 : 2027年 6月 1日

本登録証の有効性は、当機構までお問い合わせの上、確認することができます。

一般財団法人 日本品質保証機構

東京都千代田区神田須田町1-25

理事長 石井 裕 晶



Member of



本証には付属書がありますので、合わせてご覧ください。



23.05 D7501205



登録証番号 : JQA-EM0882

1 / 1

登録事業者 :

J S R マイクロ九州株式会社

登録活動範囲 :

半導体用材料製品、フラットパネルディスプレイ用材料製品及び理化学機器用材料製品の製造


登録日 : 2000年 6月 2日
登録更新日 : 2024年 6月 2日

有効期限 : 2027年 6月 1日

本登録証の有効性は、当機構までお問い合わせの上、確認することができます。

一般財団法人 日本品質保証機構

理事長 石井 裕 晶



Member of



本付属書は本証の一部のため、合わせてご覧ください。



23.05 D7501206

ISO 14001

Management System Certificate

Certificate Number : JQA-EM0882

Organization :

JSR Micro Kyushu Co., Ltd.

1580-1 KAMIIZUMI, KUBOIZUMI-MACHI, SAGA-SHI, SAGA, JAPAN



JQA certifies that the above organization operates the Environmental Management System, within the scope of the Appendix attached, which has been assessed and found to comply with the requirements of;

ISO 14001 :2015 / JIS Q 14001 :2015

Registration Date : June 2, 2000

Last Renewal Date : June 2, 2024

Expiry Date : June 1, 2027

Feel free to contact JQA for the validity of this certificate.

A handwritten signature in black ink, appearing to read 'H. Ishii'.

HIROAKI ISHII
PRESIDENT

1-25 KANDASUDACHO, CHIYODA-KU, TOKYO, JAPAN

JAPAN QUALITY ASSURANCE ORGANIZATION

To be used in conjunction with attached Appendix.





Certificate Number : JQA-EM0882

1 / 1

Organization :

JSR Micro Kyushu Co., Ltd.

Scope of Registration:

THE MANUFACTURE OF SEMICONDUCTOR MATERIALS, FLAT PANEL DISPLAY MATERIALS AND SCIENTIFIC INSTRUMENTS MATERIALS.

Registration Date : June 2, 2000
Last Renewal Date : June 2, 2024

Expiry Date : June 1, 2027

Feel free to contact JQA for the validity of this certificate.

HIROAKI ISHII
PRESIDENT

JAPAN QUALITY ASSURANCE ORGANIZATION

This Appendix is an integral part of the Certificate and should only be used in conjunction with the Certificate.

